

# Certificate of Analysis

## Potassium Pyroantimonate TS

**Lot Number:** 1909B00

**Product Number:** 6458

**Manufacture Date:** SEP 17, 2019

**Expiration Date:** SEP 2020

A slight precipitate may form at the bottom of the product container. The supernatant liquid is still suitable for use.  
 Formulated according to the current USP specification.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Hydroxide	1310-58-3	ACS
Potassium Pyroantimonate	12208-13-8	Reagent
Sodium Hydroxide	1310-73-2	Reagent

Test	Specification	Result
Appearance	Colorless liquid	Passed
Suitability for Use	dense precipitate with Sodium	Passed

Specification	Reference
Potassium Pyroantimonate TS	USP (N/A)
Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.	

Part Number	Size / Package Type	Shelf Life (Unopened Container)
6458-16	500 mL natural poly	12 months
6458-32	1 L natural poly	12 months

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)



Israel Alamudun (09/17/2019)

Quality Control Supervisor

This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.