

1841 Broad Street
Pocomoke City, MD 21851
http://www.riccachemical.com
1-888-GO-RICCA
customerservice@riccachemical.com

Certificate of Analysis

Water, HPLC Grade

ACS Reagent Grade, Suitable for Liquid Chromatography

Lot Number: 2204C12 Product Number: 9153

Date Packaged: APR 09, 2022

Expiration Date: SEP 2023

This product is manufactured by a continuous process that has been validated to produce high purity Water meeting, as a minimum, the specifications below. The analysis results are from the most recent scheduled monitoring.

Contains

H_oO CAS No. 7732-18-5 MW 18.02

Test	Specification	Result
Chloride (Cl)	max 0.4 ppm	0.00017 ppm
Conductivity at 25°C	max 0.056	0.055 μS/cm
Heavy Metals (as Pb)	max 0.01 ppm	< 0.01 ppm
LC Suitability (Absorbance)	To Pass Test	Passed
LC Suitability (Gradient Elution Test)	To Pass Test	Passed
Nitrate (NO ₃)	max 0.4 ppm	< 0.00002 ppm
Organic Carbon (TOC)	max 50 ppb	27 ppb
Oxidizable Substances (Permanganate Retention)	To Pass Test	Passed
Phosphate (PO ₄)	max 1.0 ppm	< 0.00002 ppm
Silicate (as SiO ₂)	max 0.01 ppm	< 0.0005 ppm
Sulfate (SO ₄)	max 1.0 ppm	< 0.00005 ppm

Specification	Reference
Water, Reagent, Suitable for Ultraviolet Spectrophotometry and	ACS (N/A)

Liquid Chromatography

This water is specially purified by conventional water softening, prefiltration, activated carbon organic adsorption, reverse osmosis, mixed bed triple deionization, ultraviolet light irradiation, and 0.2 micron membrane filtration. Consult RICCA CHEMICAL COMPANY Technical Reference

Document TRD02 (for lot numbers starting with 1) or TRD03 (for lot numbers starting with 2) for details of the water purification process.

Part Number Size / Package Type Shelf Life (Unopened Container)
9153-32 1 L amber glass 18 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Version: 1.5 Lot Number: 2204C12 Product Number: 9153 Page 1 of 2



Myrlande Gilles (04/09/2022)

Quality Control

This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference

 ${\bf Materials - Contents \ of \ Certificates \ and \ Labels."}$

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.5 Lot Number: 2204C12 Product Number: 9153 Page 2 of 2