

# Certificate of Analysis



**Product Name:** SULFURIC ACID, VERITAS REDISTILLED  
**Item #:** 1512  
**Lot #:** 22050193

## Certified Values:

Specifications (Max Limits or as Specified)	Pass/Fail	Numerical Results
Assay 95.00 - 98.00 %	Pass	96.11
Color (APHA) 10 Max	Pass	1
Residue after ignition 0.0005 % Max	Pass	< 0.0005
Chloride 0.00002 % Max	Pass	< 0.00002
Nitrate 0.00005 % Max	Pass	< 0.00005
Ammonium 0.00005 % Max	Pass	< 0.00005
Heavy metals 0.00001 % Max	Pass	< 0.00001
Al 2 ppb Max	Pass	< 0.1
Sb 1 ppb Max	Pass	< 0.1
As 1 ppb Max	Pass	< 0.1
Ba 1 ppb Max	Pass	< 0.1
Be 1 ppb Max	Pass	< 0.1
Bi 1 ppb Max	Pass	< 0.1
B 1 ppb Max	Pass	< 0.1
Cd 1 ppb Max	Pass	< 1
Ca 2 ppb Max	Pass	< 0.1

Not for direct use in food, cosmetics, finished pharmaceuticals or drug products. Supplier is not responsible for compliance with FDA Current Good Manufacturing Practice(cGMP) requirements, including without limitation those for finished drug products in 21 C.F.R Parts 210 and 211. Consult warranty limitations at [www.gfschemicals.com/Terms-And-Conditions](http://www.gfschemicals.com/Terms-And-Conditions)

For resale by GFS authorized distributors only.

GFS Chemicals, Inc. P.O. Box 245 Powell, OH 43065 \* Signed Orig. Doc. On File  
1-800-858-9682 (U.S. and Canada) 1-740-881-5501 (International) 1-740-881-5989 (Fax)

Cr 1 ppb Max	Pass	< 0.1
Co 1 ppb Max	Pass	< 0.1
Cu 1 ppb Max	Pass	< 0.1
Ga 1 ppb Max	Pass	< 0.1
Ge 1 ppb Max	Pass	< 1
Au 1 ppb Max	Pass	< 0.1
Fe 5 ppb Max	Pass	0.16
Pb 1 ppb Max	Pass	< 0.1
Li 1 ppb Max	Pass	< 0.1
Mg 1 ppb Max	Pass	< 0.1
Mn 1 ppb Max	Pass	< 0.1
Mo 1 ppb Max	Pass	< 1
Ni 1 ppb Max	Pass	< 0.1
Nb 1 ppb Max	Pass	< 0.1
K 2 ppb Max	Pass	< 0.1
Ag 1 ppb Max	Pass	< 0.1
Na 2 ppb Max	Pass	< 0.1
Sr 1 ppb Max	Pass	< 0.1
Ta 1 ppb Max	Pass	< 0.1
Tl 1 ppb Max	Pass	< 0.1
Sn 1 ppb Max	Pass	< 0.1

Not for direct use in food, cosmetics, finished pharmaceuticals or drug products. Supplier is not responsible for compliance with FDA Current Good Manufacturing Practice(cGMP) requirements, including without limitation those for finished drug products in 21 C.F.R Parts 210 and 211. Consult warranty limitations at [www.gfschemicals.com/Terms-And-Conditions](http://www.gfschemicals.com/Terms-And-Conditions)

For resale by GFS authorized distributors only.

GFS Chemicals, Inc. P.O. Box 245 Powell, OH 43065 \* Signed Orig. Doc. On File  
1-800-858-9682 (U.S. and Canada) 1-740-881-5501 (International) 1-740-881-5989 (Fax)

Ti 1 ppb Max	Pass	< 1
V 2 ppb Max	Pass	< 1
Zn 2 ppb Max	Pass	< 0.1
Zr 1 ppb Max	Pass	< 0.1

**Status** Pass

**Comments**

**Certificate Create By:** Catherine Myron  
**Best by:** February 17, 2027  
**Print Date:** Apr 18, 2022

**Signature on File**

**ISO 17025 Testing**

All ISO 17025 testing is performed at GFS Chemicals, Inc. 800 Kaderly Dr, Columbus, OH 43228 USA  
 UV/Vis Spectrophotometer testing is performed according to ASTM method E169-16.  
 Turbidity testing is performed according to ASTM methods D6855-17 and ASTM D7315-17.  
 Conductivity testing is performed according to ASTM method D1125-14.  
 pH testing is performed according to ASTM method D1293-18.  
 Karl Fischer titration testing is performed according to ASTM methods E203-16 and E1064-16.

Not for direct use in food, cosmetics, finished pharmaceuticals or drug products. Supplier is not responsible for compliance with FDA Current Good Manufacturing Practice(cGMP) requirements, including without limitation those for finished drug products in 21 C.F.R Parts 210 and 211. Consult warranty limitations at [www.gfschemicals.com/Terms-And-Conditions](http://www.gfschemicals.com/Terms-And-Conditions)  
 For resale by GFS authorized distributors only.

---

GFS Chemicals, Inc. P.O. Box 245 Powell, OH 43065 \* Signed Orig. Doc. On File  
 1-800-858-9682 (U.S. and Canada) 1-740-881-5501 (International) 1-740-881-5989 (Fax)