



CERTIFICATE OF ANALYSIS

Product Name	Tetrahydrofuran Stabilized with BHT
Catalog #	34600HPLC
Item #	101205
Batch #	220810-B025014
Date of Manufacture:	08/02/2022
Recommended Retest Date:	08/01/2024
Customer PO #	P23495 / 2
Packaging Type	Case Glass 4x4 L

TEST	MONO-GRAPH	SPECIFICATION	RESULT	UNITS
Assay (by GC-FID, Corrected for Water)	HPLC	99.8% min.	99.99	%
Color (APHA)	HPLC	10 max.	LT 5 APHA	N/A
Peroxides/Epoxides (as H2O2 at time of packaging)	HPLC	0.015% max	0.004	%
Residue after Evaporation	HPLC	0.03% max	0.01	%
Stabilizer (BHT)	HPLC	250ppm - 400ppm	252	ppm
Titrate Acid	HPLC	0.001 meq/g max.	0.0001	meq/g
Water	HPLC	0.02% max	0.010	%

Certification and Compliance Statements

This lot of Tetrahydrofuran, HPLC Grade complies with all abovementioned specifications. Certain test data has been supplied by third parties.

This product is not derived, nor does it come in contact with, any materials derived from bovine or other animal sources.

This product is for further commercial manufacturing, laboratory or research use, and may be used as a process solvent for pharmaceutical purposes. It is not intended for use as an active ingredient in drug manufacturing nor as a medical device or disinfectant. Appropriate/legal use of this product is the responsibility of the user.



CERTIFICATE OF ANALYSIS

This document was electronically signed by Doug Fleischmann on 8/16/2022 4:46:59 PM to indicate Quality Assurance Approval and to release this batch.