



Certificate of Analysis

800 Kaderly Dr
Columbus, OH 43228
USA
www.gfschemicals.com

Tel: 800.858.9682 · 740.881.5501
Fax: 740.881.5989

Product Name: HYDROCHLORIC ACID, 30-35%,
VERITAS DOUBLE DISTILLED
Item #: 2185
Lot #: 22100165



Cert. #: 3336.01



EAGLE Registrations Inc.
SERVICE • INTEGRITY • VALUE
ISO 9001:2015
Registered by EAGLE Registrations Inc.

Certified Values:

Specifications	Status	Results
Assay 32 - 35 %	Pass	34
Ag (ppt) 10 ppt Max	Pass	<10
Al (ppt) 20 ppt Max	Pass	<20
As (ppt) 50 ppt Max	Pass	<50
Au (ppt) 20 ppt Max	Pass	<20
B (ppt) 100 ppt Max	Pass	<100
Ba (ppt) 20 ppt Max	Pass	<20
Be (ppt) 20 ppt Max	Pass	<20
Bi (ppt) 20 ppt Max	Pass	<20
Ca (ppt) 20 ppt Max	Pass	<20
Cd (ppt) 10 ppt Max	Pass	<10
Ce (ppt) 10 ppt Max	Pass	<10
Co (ppt) 10 ppt Max	Pass	<10
Cr (ppt) 10 ppt Max	Pass	<10
Cs (ppt) 10 ppt Max	Pass	<10
Cu (ppt) 10 ppt Max	Pass	<10
Dy (ppt) 10 ppt Max	Pass	<10
Er (ppt) 1 ppt Max	Pass	<1
Eu (ppt) 1 ppt Max	Pass	<1
Fe (ppt) 20 ppt Max	Pass	<20
Ga (ppt) 10 ppt Max	Pass	<10

Not for direct use in food, cosmetics, finished pharmaceuticals or drug products. Supplier is not responsible for compliance with FDA Current Good Manufacturing Practices (cGMP), including without limitation for those finished drug products in 21 CFR Parts 210 and 211. Consult warranty limitations at www.gfschemicals.com
For resale by GFS authorized distributors only.



Certificate of Analysis

800 Kaderly Dr
Columbus, OH 43228
USA
www.gfschemicals.com

Tel: 800.858.9682 · 740.881.5501
Fax: 740.881.5989

Gd (ppt) 1 ppt Max	Pass	<1
Hg (ppt) 50 ppt Max	Pass	<50
Ho (ppt) 1 ppt Max	Pass	<1
In (ppt) 1 ppt Max	Pass	<1
K (ppt) 20 ppt Max	Pass	<20
La (ppt) 10 ppt Max	Pass	<10
Li (ppt) 20 ppt Max	Pass	<20
Lu (ppt) 1 ppt Max	Pass	<1
Mg (ppt) 20 ppt Max	Pass	<20
Mn (ppt) 10 ppt Max	Pass	<10
Mo (ppt) 10 ppt Max	Pass	<10
Na (ppt) 20 ppt Max	Pass	<20
Nd (ppt) 10 ppt Max	Pass	<10
Ni (ppt) 20 ppt Max	Pass	<20
Pb (ppt) 10 ppt Max	Pass	<10
Pd (ppt) 10 ppt Max	Pass	<10
Pr (ppt) 1 ppt Max	Pass	<1
Pt (ppt) 10 ppt Max	Pass	<10
Rb (ppt) 10 ppt Max	Pass	<10
Rh (ppt) 10 ppt Max	Pass	<10
Sb (ppt) 10 ppt Max	Pass	<10
Sc (ppt) 10 ppt Max	Pass	<10
Se report	Pass	<10
Sm (ppt) 1 ppt Max	Pass	<1
Sr (ppt) 20 ppt Max	Pass	<20
Sn (ppt) 10 ppt Max	Pass	<10

Not for direct use in food, cosmetics, finished pharmaceuticals or drug products. Supplier is not responsible for compliance with FDA Current Good Manufacturing Practices (cGMP), including without limitation for those finished drug products in 21 CFR Parts 210 and 211. Consult warranty limitations at www.gfschemicals.com
For resale by GFS authorized distributors only.



Certificate of Analysis

800 Kaderly Dr
Columbus, OH 43228
USA

www.gfschemicals.com

Tel: 800.858.9682 · 740.881.5501
Fax: 740.881.5989

Tb (ppt) 1 ppt Max	Pass	<1
Te (ppt) 1 ppt Max	Pass	<1
Ti (ppt) 10 ppt Max	Pass	<10
U (ppt) 10 ppt Max	Pass	<10
V (ppt) 10 ppt Max	Pass	<10
W (ppt) 10 ppt Max	Pass	<10
Y (ppt) 10 ppt Max	Pass	<10
Yb (ppt) 1 ppt Max	Pass	<1
Zn (ppt) 10 ppt Max	Pass	<10
Zr (ppt) 10 ppt Max	Pass	<10

Comments

CoA #: COA-083786 **Best by:** March 3, 2024
Certificate Created By: Michael J. Firis **Print Date:** July 7, 2022
CoA Creation Date: March 15, 2022
Certified by: Melissa Murphy - Corporate Quality Assurance and Regulatory Compliance Manager

Not for direct use in food, cosmetics, finished pharmaceuticals or drug products. Supplier is not responsible for compliance with FDA Current Good Manufacturing Practices (cGMP), including without limitation for those finished drug products in 21 CFR Parts 210 and 211. Consult warranty limitations at www.gfschemicals.com

For resale by GFS authorized distributors only.



Certificate of Analysis

800 Kaderly Dr
Columbus, OH 43228
USA
www.gfschemicals.com

Tel: 800.858.9682 · 740.881.5501
Fax: 740.881.5989

Traceability:

This material was processed under a quality management system that is registered to ISO 9001:2015. The equipment used in the testing of material is NIST traceable. In cases where NIST traceability is not possible, equipment manufacturer recommendations and/or industry best practices are followed.

The following tests are performed under an A2LA accredited ISO/IEC 17025 management system:

- UV/VIS Spectrophotometer testing is performed according to ASTM method E169-16
- Turbidity according to ASTM methods D6855-17 and ASTM D7315-17
- Conductivity according to ASTM method D1125-14
- pH according to ASTM method D1293-18
- Karl Fischer titration according to ASTM methods DE203-16 and E1064-16

Samples for testing are obtained using GFS procedure GFS-PROD-PPG-0022

Testing is performed in a laboratory temperature of 22°C +/- 2°C and/or a solution temperature of 25°C +/- 0.2°C.

Karl Fischer testing is performed at a laboratory temperature of 25°C +/- 5°C and a relative humidity ≤ 60%.

Measurement Uncertainty:

The reported measurement uncertainty is an expanded measurement uncertainty according to the ASTM method E2554-18, calculated using 2 as the coverage factor (which gives a confidence level of approximately 95%).

- Example for a reported conductivity value of 2124 uS/cm:
2124uS/cm ± 0.65%, k=2
- Example for a reported pH value of 8.32:
8.32 ± 0.01, k=2
- Karl Fischer for values between 0.1 to 10 mg/g
 - o Example for a reported Karl Fischer value of 5.3 mg/g:
5.3mg/g ± 3.76%, k=2

Not for direct use in food, cosmetics, finished pharmaceuticals or drug products. Supplier is not responsible for compliance with FDA Current Good Manufacturing Practices (cGMP), including without limitation for those finished drug products in 21 CFR Parts 210 and 211. Consult warranty limitations at www.gfschemicals.com
For resale by GFS authorized distributors only.