



CERTIFICATE OF ANALYSIS

**Honeywell Burdick & Jackson®**

1953 South Harvey Street  
Muskegon, MI 49442  
Phone: (800) 368-0050  
Fax: (231) 728-8226  
[lab.honeywell.com](http://lab.honeywell.com)

**Brand:** Research Chemicals - B&J  
**Product:** LC230  
**Lot No.:** EB006  
**Production Date:** 24-Feb-2021  
**Best Before:** 24-Feb-2023

Methanol, B&J Brand™ LC-MS, >99.9%  
for LC-MS and HPLC

Parameter	Specification		Result	Units
	Min.	Max.		
Water by Karl Fischer Titration		0.050	0.007	%
Residue		1	<0.5	mg/L
GC Analysis	99.9		>99.99	%
UV Cutoff		205	203	nm
Refractive Index (20°C)	1.3280	1.3288	1.3286	
HPLC Gradient Elution	Passes test		Passes test	
Fluorescence (as quinine base)		0.30	0.05	ppb
LC-MS Positive Mode (as reserpine)		50	<50	ppb
LC-MS Positive Mode (as caffeine)		100	<100	ppb
LC-MS Negative Mode (as 4-nitrophenol)		50	<50	ppb
Trace Metals	Passes test		Passes test	

**Honeywell**  
**Quality Control Approval**