## **Certificate of Analysis**

Product Name:

WATERMARK KARL FISCHER

COULOMETRIC VESSEL SOLUTION, for

OILS

Item #:

5202

Lot #:

20530056



Signature on File

## **Certified Values:**

Specifications (Max Limits or as Specified)	Status	Results
Suitability	Pass	Passes Test
Capacity	Pass	Passes Test

## Comments

CoA #:

COA-066271

**Certificate Created By:** 

Ryan Walsh

**CoA Creation Date:** 

January 11, 2021

Best by:

December 31, 2022

**Print Date:** 

May 21, 2021

Not for direct use in food, cosmetics, finished pharmaceuticals or drug products. Supplier is not responsible for compliance with FDA Current Good Manufacturing Practice(cGMP) requirements, including without limitation those for finished drug products in 21 C.F.R Parts 210 and 211.Consult warranty limitations at <a href="https://www.gfschemicals.com/statics/documents/aboutus/termsandconditions.html">www.gfschemicals.com/statics/documents/aboutus/termsandconditions.html</a>

For resale by GFS authorized distributors only.

## ISO 17025 Testing

All ISO 17025 testing is performed at GFS Chemicals, Inc. 800 Kaderly Dr, Columbus, OH 43228 USA UV/Vis Spectrophotometer testing is performed according to ASTM method E169-16. Turbidity testing is performed according to ASTM methods D6855-17 and ASTM D7315-17. Conductivity testing is performed according to ASTM method D1125-14. pH testing is performed according to ASTM method D1293-18. Karl Fischer titration testing is performed according to ASTM methods E203-16 and E1064-16.

Not for direct use in food, cosmetics, finished pharmaceuticals or drug products. Supplier is not responsible for compliance with FDA Current Good Manufacturing Practice(cGMP) requirements, including without limitation those for finished drug products in 21 C.F.R Parts 210 and 211.Consult warranty limitations at <a href="https://www.gfschemicals.com/statics/documents/aboutus/termsandconditions.html">www.gfschemicals.com/statics/documents/aboutus/termsandconditions.html</a>
For resale by GFS authorized distributors only.